

[This is Index of whole volume]

p. 75 on honey p. 92.

p. 104 g. time of shedding pollen

p. 119 on contamination

p. 128 on richness of pollen.

137 - on pollen varying in species & individual of direction

137 on fertility of var. of

Verbena according to colour.

p. 1418.

p. 220 / 222

1242

p. 250 on conception to p. 253.

p. 328 on period of conception

p. 367

p. 440 on abortion p. 444

See over page

all other specimens have been
recopied and with papers

Hybrid Clayton

~~hybrid~~

~~prostrata~~ ~~specimen~~ ~~prostrata~~ ~~specimen~~
 p 366 tall - from other parts of
 prostrata specimen
 prostrata specimen
 prostrata specimen

p 528 on ~~prostrata~~ of Lichnia
(quoted from Pauch.)

Lichnia & asperulenta in the
 hermaphrodite form - I presume the
 male of seed
 have been
 cultivated
 plants

p 539 on cupre taking place
at distance p 550. do

p 560
 p 564
 p 571 on copying do
 p 577. do

p 598 on note of seed in
 Lichnia asperulenta - Lichnia

p 600

136 368 386 497 - 138 - 131, 135

136

386 587 595

11-128 on quantity of pollen.

135 said embryos appear more than
on pollen grain.

226 Karben-Puchle sections for 1st gm at
various points

236 Section of stigma of Karben took
month to dry - 10 g of alcohol
for 1/2 of Achis.

256 Reichen bark W.I. p. 120

345 } quantity of pollen report for full fertilization
347 }
351 } successful application of pollen necessary
600 }

Achis

For

In Corn & Hemp Field & Paddy
clouds of pollen 107
top

116 Contubercula

Dickinson

Garden. Hermit sps 1 539

on plants 6-800 fars

featuring said Alar

19 good , h 531 ?

h 573 - 577

(Key)

CS.
H. B. p 137. a variety
of *Verbena* creeping

Fr 212 { Fructifer = stigma
griffel = style
narbe = stigma

Oct. 1855

This book contains a
abstract & reference
to the history. —